Approved For Release 2000/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR COMMUNICATION CENTER

SECURITY CLASSIFICATION: TOP SECRET

29 JUL 67 11 20Z

TYPE MSG	BOOK	MULTI	SINGLE

PRECEDENCE

ACTION: IMMEDIATE

INFO

DTG

25X1

FROM:

TO:

25X1

A. BX 6710

B. INS TAPE REPORT

C. INS 010

D. DATA LINK

E. 20/1200Z

21/0600Z

G. 670720 - 020012

H. DATA GOOD

END OF MESSAGE

SPECIAL INSTRUCTIONS

1 SIG CEN
1 COMDR
1 DCM
1 INS
1 DCO

DATE	TIME
29	
MONTH: JUL	YEAR: 67
PAGE NO.	NO. OF PAGES

DRAFT

TYPED NAME AND TITLE

PHONE

25X1

RELEASE

SECURITY CLASSIFICATION: TOP SECRET

REGRADING INSTRUCTIONS

DD FORM 1 NOV. 63 173

REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO : 1964 O-734 401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

ILLEGIB
Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Page Denied

Next 7 Page(s) In Document Denied

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR COMMUNICATION CENTER

SECURITY CLASSIFICATION: SECRET

TYPE MSG: BOOK | MULTI | SINGLE

PRECEDENCE

ACTION: PRIORITY

INFO

DTG: 19 OCT 16 23Z

FROM:

TO:

REF:

SPECIAL INSTRUCTIONS

1 SIG CEN
1 COMDR
1 DCM
1 DCO

1. BX 6710

2. [redacted] PARAMETERS

	"S"	"C"
A. RF BANDWIDTH		
ART 129 (SN 4)	2810 - 3240 GHZ	4905 - 5140 GHZ
ART 127 (SN 3)	2840 - 3260 GHZ	4890 - 5200 GHZ
B. PULSE WIDTH:		
ART 129	0.2 - 1.6 MS	
ART 127	0.2 - 1.5 MS	
C. PRF LIMITS:		
ART 129	2170 - 2560 PPS	1740 - 2230 PPS
ART 127	2220 - 2590 PPS	1740 - 2270 PPS
D. SCAN LIMITS:		
ART 129	9.1-21.7 SCANS/SEC	
ART 127	10-21.7 SCANS/SEC	

(1) [redacted] "S" TRACK SIGNAL AT REF.

(2) THRESHOLD SENSITIVITY:

	"S"	"C"
ART 129	-43DBM	-42DBM
ART 127	-43DBM	-42DBM

DATE	TIME
19	
MONTH	YEAR
OCT	67
PAGE NO.	NO. OF PAGES
1	2

DRAFTER: TYPED NAME AND TITLE | PHONE

25X1

RELEASER

SECURITY CLASSIFICATION: SECRET

REGRADING INSTRUCTIONS

DD FORM 1 NOV. 63 173 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO : 1964 O - 734 401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

ABBREVIAT JOINT MESSAGEFORM and/or CONTINUATION SHEET

SECURITY CLASSIFICATION

SECRET

PRECEDENCE	RELEASED BY	DRAFTED BY	PHONE
ACTION			
INFO			

25X1A

E. [ ] PARAMETERS:

(1) EITHER OR/BOTH MODE

(2) TRANSMIT BAND WIDTHS:

	"S"	"C"
ART 129	200 CENTERED AT 3000 MHZ	200 CENTERED AT 5000 MHZ
ART 127	200 CENTERED AT 3000 MHZ	200 CENTERED AT 5000 MHZ

(3) POWER:

ART 129	309	400
ART 127	309	370

END OF MESSAGE

CONTROL NO.	TOR/TOD	PAGE NO.	NO. OF PAGES	MESSAGE IDENTIFICATION	INITIALS
REGRADING INSTRUCTIONS				SECURITY CLASSIFICATION	

SECRET

DD FORM 1 NOV 63 173-1 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED.

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

25X1

25X1

25X1

25X1

25X1

25X1

Page Denied

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

25X1A [ ] CONT'D

K. N/A.

L. WEATHER. (General comment on weather during photo portions of mission).

As briefed - Primarily C position used

M. TAKE DISPOSITION (Location, shipment, or action on material - date/time ZULU. Example: EK 290135Z or Area Security 290135Z).

BS Security 20 1000 Z.

N. COMMENTS. (Include general remarks regarding configuration operation, malfunctions or mission problems).

Successful mission - no package restarts.

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR TELECOMMUNICATION CENTER

SECURITY CLASSIFICATION: SECRET

TYPE MSG | BOOK | MULTI | SINGLE

ACTION: IMMEDIATE

INFO: IMMEDIATE

DTG: 20 Jul 67 1537Z

FROM: 25X1

TO: 25X1

25X1

25X1

25X1

SPECIAL INSTRUCTIONS

1 SIG CTR
1 CMDR
1 DOM
1 POL
1 OP

CKOART/BLACKSHIELD/MATERIAL

A. SPECIAL FUEL TEST REPORT (POST FLIGHT) BX 6710

B. 513 1450L/20 JULY

129 1510L/20 JULY

094 1845L/20 JULY

504 1900L/20 JULY

099 2010L/20 JULY

095 2050L/20 JULY

088 0010L/21 JULY

054 0020L/21 JULY

C. FUEL TESTED IN PARA B QUALIFIED IN ACCORDANCE WITH SECTION VII TEST CRITERIA.

END OF MESSAGE

DATE | TIME

MONTH | YEAR

PAGE NO. | NO. OF PAGES

DRAFTER: TYPED NAME AND TITLE | PHONE 25X1

RELEASER: SIGNATURE | TYPED NAME AND TITLE

SECURITY CLASSIFICATION: SECRET

REGRADING INSTRUCTIONS

DD FORM 1 NOV. 63 173

REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO : 1964 O—734-401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR ACTION CENTER

SECURITY CLASSIFICATION: TOP SECRET

20 JUL 67 11 20Z

TYPE MSG	BOOK	MULTI	SINGLE

PRECEDENCE

ACTION: IMMEDIATE

INFO

DTG

25X1 FROM:

25X1 TO:

25X1

A. BX 6710

B. INS TAPE REPORT

C. INS 010

D. DATA LINK

E. 20/1200Z

F. 21/0600Z

G. 670720 - 020012

H. DATA GOOD

END OF MESSAGE

SPECIAL INSTRUCTIONS

1 SIG CEN
1 COMDR
1 DCM
1 INS
1 DCO

DATE | TIME

MONTH | YEAR

PAGE NO. | NO OF PAGES

DRAFTER

TYPED NAME AND TITLE | PHONE

25X1

RELEASE

SIGNATURE

SECURITY CLASSIFICATION: TOP SECRET

REGRADING INSTRUCTIONS

DD FORM 1 NOV 63 173 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO 1964 O—734 401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR COMM CENTER

SECURITY CLASSIFICATION: SECRET

TYPE MSG	BOOK	MULTI	SINGLE

PRECEDENCE

ACTION: IMMEDIATE

INFO: IMMEDIATE

DTG: 29 JUL 67 09 46 Z

FROM:

25X1

TO:

INFO:

25X1

25X1

25X1

SPECIAL INSTRUCTIONS

1 SIG CEN
1 COMDR
1 DCM
1 P.E.
1 DCO

A. EX 6710

B. TYPE I CAMERA CONFIGURATION REPORT

25X1 C. I-F/20 JUL/129

D. 700/700

E. 780/780

F. 3404/2200/276-3-4-3-7

G. 5.6/YELLOW WRATTEN 12

H. (1) 76°/75°

(2) 84°/86°

(3) 67°/66°

I. (1) 0349Z/0407Z

(2) 0502Z/0524Z

(3) 0625Z/0630Z

J. (1) 0 TO 21/190/39 IN CLOUD

(2) 24 TO 48/190/39 IN CLOUD

(3) 51 TO 54/170/39 IN CLOUD

DATE	TIME
29	
MONTH JUL	YEAR 67
PAGE NO. 1	NO. OF PAGES 2

DRAFTER

TYPED NAME AND TITLE

PHONE

25X1

RELEASER

SIGNATURE

SECURITY CLASSIFICATION: SECRET

REGRADING INSTRUCTIONS

* GPO : 1964 O—734-401

DD FORM 1 NOV. 63 173 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM - CONTINUATION SHEET

SECURITY CLASSIFICATION: TOP SECRET

FROM:

25X1A

K. NA

L. AS BRIEFED - PRIMARILY C POSITION USED

M. BS SECURITY/201000Z

N. SUCCESSFUL MISSION - NO PACKAGE RESTARTS.

END OF MESSAGE

SYMBOL	PAGE NR	NR OF PAGES	SECURITY CLASSIFICATION	INITIALS
			TOP SECRET	

DD FORM 1 MAY 55 173-1

☆ U. S. GOVERNMENT PRINTING OFFICE: 1962—644744

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

25X1

IMMEDIATE [redacted]

25X1

[redacted]

A. BX6710

B. INS TAPE REPORT

C. ~~DATA LINK~~ INS 0100

D. DATA LINK

E.

F.

G 670720 - 020412

H. DATA GOOD

END [redacted] OF MESSAGE

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

25X1

25X1

25X1

25X1

Page Denied

Next 2 Page(s) In Document Denied

25X1

25X1

25X1

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR COMMUNICATION CENTER

SECURITY CLASSIFICATION: SECRET

PRECEDENCE: BOOK | MULTI | SINGLE

ACTION: IMMEDIATE

INFO

DTG: 21 JULY 63 06Z

FROM: 25X1

TO: 25X1

25X1

SPECIAL INSTRUCTIONS

1 SIG CTR
1 CMDR
1 DCM
1 POL
1 CP

OXCART/BLACKSHIELD/MATERIEL

A. SPECIAL FUEL TEST REPORT(2½ HOUR PRE FLIGHT) BX 6710

B. 513 0550L/20 JULY

094 0600L/20 JULY

089 0610L/20 JULY

054 0620L/20 JULY

504 0630L/20 JULY SPARE

103 0640L/20 JULY SPARE

095 0725L/20 JULY

099 0730L/20 JULY

088 0740L/20 JULY

129 0745L/20 JULY

C. FUEL TESTED IN PARA B QUALIFIED IAW SECTION V11 TEST CRITERIA.

END MESSAGE

DATE	TIME
MONTH	YEAR
PAGE NO.	NO. OF PAGES

DRAFTER — TYPED NAME AND TITLE: SECRET — PHONE: 25X1

RELEASER

SECURITY CLASSIFICATION

REGRADING INSTRUCTIONS

DD FORM 1 NOV. 63 173 — REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO : 1964 O—734-401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

25X1
Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6
Page Denied
Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

JOINT MESSAGEFORM

RESERVED FOR COMMUNICATION CENTER

SECURITY CLASSIFICATION: SECRET

TYPE MSG: BOOK MULTI SINGLE

PRECEDENCE: IMMEDIATE

ACTION: IMMEDIATE

INFO:

DTG: [illegible] 18Z

[illegible] CHEY

25X1 FROM:

25X1 TO:

25X1

SPECIAL INSTRUCTIONS

1 SIG CTR
1 CMDR
1 DOM
1 POL
1 OP

EXCART/BLACKSHIELD/MATERIAL

A. SPECIAL FUEL TEST REPORT (POST REFUEL) BX 6710

B. 089 1205L/18 JULY

515 1620L/18 JULY

103 1800L/19 JULY SPARE

094 1750L/19 JULY

088 2125L/19 JULY

054 2115L/19 JULY

099 2500L/19 JULY

095 2340L/19 JULY

504 0115L/20 JULY SPARE

129 0120L/20 JULY

C. FUEL TESTED IN PARA B QUALIFIED IAW SECTION VII TEST CRITERIA.

D. REPORT LATE BUE TO LATE RETURN OF TANKERS 504 AND 129 ALLOWING INSUFFICIENT REFUELING AND SAMPLING TIME.

END OF MESSAGE

DATE	TIME
MONTH	YEAR
PAGE NO.	NO. OF PAGES

DRAFTER: TYPED NAME AND TITLE [illegible] PHONE 25X1

RELEASER: SIGNATURE TY

SECURITY CLASSIFICATION: SECRET

REGRADING INSTRUCTIONS

DD FORM 1 NOV. 63 173 REPLACES EDITION OF 1 MAY 55 WHICH MAY BE USED

* GPO : 1964 O—734-401

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

ILLEGIB
Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Page Denied

Next 5 Page(s) In Document Denied

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6

T O P S E C R E T

FROM: Mission Coordinator 19 July 1967

SUBJECT: Mission Alert Notification

TO: (See Below)

Request your attendance at the Commander's Briefing to be held in the Operations Briefing Room on 19 July 1967 at 1200 L. The briefing concerns the following:

1. Mission Code Name and Number: BX 6710

2. Date/Time of Launch (H-Hour): 20 July / 0230 Z / 1180 L.
   Ground Spare (H+1:00): 20 July / 0330 Z / 1230 L.

4. ses: Takeoff Kadena Staging _____, Landing Kadena.

5. ent required: Type I, [redacted] 25X1
   J [redacted], System VL. 25X1

6. nd Spare Requirements: Type I, [redacted] 25X1
   [redacted], SIP 25X1

7. Special Instructions/Comments: Modified canned Route #4

FOR THE COMMANDER

Mission Coordinator

Office	Time(L)	Recipient	Office	Time(L)	Recipient
CMDR			DCOL		
DCO			DCOC/MC		
DCM			DCOMI		
DCS			DCOW		
SECUR			COMMO		
FLT SURG			AFCS		(Notify Only)
DCOM			TTFC(SAC		(Notify Only).

T O P S E C R E T

Approved For Release 2006/11/04 : CIA-RDP69B00041R000500030013-6